

**VIDEO DOOR PHONE SYSTEMS**

Exchanges reserved !

Sales prices in EURO

Prices valid from Dec. 01, 2009 thru May 31, 2010

**WHO IS OUT THERE ?****Do you know that all the time ?****Do that know also your children ?****Do you like to be "available" all the time ?****Safety for your family is no luxury !****COMMAX offers solutions of high quality****- with style - for reasonable costs.****GENERAL**

COMMAX Co. Ltd. develops and manufactures Video Door phone Systems of very high quality since 1968. ABM Schörkmeier GmbH and their former affiliates sales COMMAX - Products is the areas of AUSTRIA, GERMANY and SWIZERLAND since 1995 . From more than 7000 Sets sold until today, the drop-out rate was less than 1% - which indicates the high quality and reliability of COMMAX.

The new generation of COMMAX - Video Door Phone Products have a high flexibility of application - whereas almost all available colour monitors are compatible to each camera unit. (Single units or Multi-Appartment units)

All offered prices are recommended sales prices - excluding VAT - to end users.

Prices are based ex-work Ardning / Austria, and are valid until May 31, 2010.

The following offered models are a substract of the full range available. For individual systems, special applications like : PIN-Code terminals, biometric readers, etc. - combined with door camera stations we are pleased to submit offers on request.

We remain, and look forward for a further good cooperation with our actual customers - and new clients.

**PRODUCT OVERVIEW****Almost all Monitor units are available with optional IMAGE MEMORY Functions !**

Optionales Zubehör

Almost all door camera units are compatible to each colour monitor !

## Colour Monitors - Model 50A, 50AM



### 5 Inches LCD TFT Colour Monitor - with hands-free talking

Extendable up to two (2) monitors and two (2) cameras

An additional audio phone (DP4VH) connectable

Almost all COMMAX - Door camera units connectable

#### Integrated 128 x Image Memory (Optional)

Energy : 100 - 230 VAC to monitors only !

Wiring : 4 x 1 mm<sup>2</sup> from Monitor to door camera station

Dimensions : 245 x 175 x 45 mm

**50A**

5" Colour Monitor with hands-free talking system, 230 V plug, mounting bracket, screws

**240,00**
**50AM**

5" Colour Monitor w. hands-free talking, 128x Image Memory, 230 V plug, m. bracket, screws

**320,00**

## Colour Monitor 71BSE + ALARM



### 7" TFT-LCD Colour Monitor with handset

Extendable up to four (4) door cameras or CCTV cameras

An additional audio phone (DP4VH) connectable

Almost all COMMAX - Door camera units connectable

#### Integrated Image Memory (58x or 128x)

4 Alarm lines (with magnetic contacts) included

Energy : 100 - 230 VAC to monitors only !

Wiring : 4 x 1 mm<sup>2</sup> from monitor to door camera unit  
 RG59 Coax-cable from monitor to CCTV camera  
 2 x 1 mm<sup>2</sup> from monitor to alarm contacts

Dimensions : 314 x 173 x 44 mm

**71BSE**

Colour monitor 7" with hand set, Image Memory, Alarm + magnetic contact units, 230 V plug

470,00

**564,00**
**71BQ**

Colour monitor 7" QUAD Split, with hand set, Image Memory, 230 V plug

550,00

**660,00**
**71BE**

Colour monitor 7" with hand set, Image Memory, interface for 4 wireless Audio phones, 230 V plug

510,00

**612,00**

## Colour Monitor 1020AQ



### 10,2" GUI - Touch-Screen Colour Monitor QUAD

Extendable up to four (4) door cameras or CCTV cameras

Almost all COMMAX - Door camera units connectable

Up to four (4) wireless phones (CDT180) connectable

#### Integrated 128x Image Memory

4 Alarm lines (with magnetic contacts) included

Energy : 100 - 230 VAC to monitors only !

Wiring : 4 x 1 mm<sup>2</sup> from monitor to door camera unit  
 RG59 Coax-cable from monitor to CCTV camera  
 2 x 1 mm<sup>2</sup> from monitor to alarm contacts

Dimensions : 450 x 220 x 40 mm

**1020AQ**

Colour monitor 10,2" w. QUAD Split, hands-free, Image Memory, Alarm, interface for wireless Audio, 230 V plug

**1.175,00**

**Door Camera Units****4CAN  
Single Door Camera Unit****COLOUR, Flush Mounted**

1/3" CCD Camera module with fixed lense and manual pan-tilt-head

Hands-free talking system with integrated microphone and speaker

NO-Contact for door opener ( external 12 VDC required ! )

Power supply : from Monitor

Wiring : 4 x 1 mm<sup>2</sup> from Monitor to door camera station (incl. Power for camera !)

With Ring-Button (Metal) and name plate

Cast metal plate and flush monting box

Dimensions H x W = 187 x 123 mm Flush mont box : 153 x 92 mm

**4CAN****Colour** Door camera unit with 1 Button, cast metal plate, flush mounting box, screws**155,00****40CS  
Single Door Camera Unit****COLOUR, Surface Mounted**

1/3" CCD Camera module with fixed lense and manual pan-tilt-head

Hands-free talking system with integrated microphone and speaker

NO-Contact for door opener ( external 12 VDC required ! )

Power supply : from Monitor

Wiring : 4 x 1 mm<sup>2</sup> from Monitor to door camera station (incl. Power for camera !)

With Ring-Button (Metal)

Aluminium housing and surface mounting box

Dimensions H x W x D = 142 x 100 x 35 mm

**40CS****Colour** Door camera unit with 1 Button, Aluminium housing, surface mounting box, screws**100,00****4CP  
Single Door Camera Unit****COLOUR, Surface Mounted**1/3" CCD Camera module with PIN-HOLE camera (**vandal proofed**)

Hands-free talking system with integrated microphone and speaker

NO-Contact for door opener ( external 12 VDC required ! )

Power supply : from Monitor

Wiring : 4 x 1 mm<sup>2</sup> from Monitor to door camera station (incl. Power for camera !)

With Ring-Button (Metal)

Cast metal housing and surface mounting box - 30° angle !

Dimensions H x W x D = 118 x 50 x 24 mm

**4CP****Colour** Door camera unit with 1 Button, Cast metal housing, surface mounting box, screws**125,00**

**Individual Options - Door camera units with integrated PIN-Code terminal  
or biometric readers can be offered on request !**

ABM Ref.

# Multi Door Camera Units

**excluding  
VAT.**

Exchanges reserved !

Sales prices in EURO

Prices valid from Dec. 01, 2009 thru May 31, 2010



## 4CP / 4BD

### Multi Apartment (4) Door Camera Unit

1/3" CCD Camera module with PIN-HOLE camera - colour or black & white  
 Hands-free talking system with integrated microphone and speaker  
 NO-Contact for door opener ( external 12 VDC required ! )  
 Power supply : 12 VDC (230-12 V , 1 A Unit included)  
 Wiring : 4 x 1 mm<sup>2</sup> from each Monitor to door camera station  
 With four (4) Ring-Buttons (Metal) and name plates  
 Cast metal housing for surface mounting  
 Dimensions H x W x D = 187 x 83 x 35 mm

**Surface Mounted  
vandal proofed**
**4CD**
**Colour**

Door camera unit with 4 Buttons, Cast metal housing for surface mounting, screws

**330,00**
**4BD**
**B / W**

Door camera unit with 4 Buttons, Cast metal housing for surface mounting, screws

**260,00**


## n AC / n AB

### Multi Apartment Door Camera Unit

1/3" CCD Camera module with fixed lense and manual pan-tilt-head ( colour or b/w )  
 Hands-free talking system with integrated microphone and speaker  
 NO-Contact for door opener ( external 12 VDC required ! )  
 Power supply : 12 VDC (230-12 V , 1 A Unit included)  
 Wiring : 4 x 1 mm<sup>2</sup> from each Monitor to door camera station  
 With n Ring-Buttons (Metal) and name plates  
 Cast metal housing for surface mounting  
 Dimensions H x W = 316 x 123 mm Flush - Box : 299 x 114 mm

**FLUSH MOUNTED**
**2AC**
**Colour**

Door Camera Unit with 2 Buttons, 230-12 V power unit, and flush-box

**270,00**
**4AC**
**Farbe**

Door Camera Unit with 4 Buttons, 230-12 V power unit, and flush-box

**295,00**
**6AC**
**Farbe**

Door Camera Unit with 6 Buttons, 230-12 V power unit, and flush-box

**320,00**
**8AC**
**Farbe**

Door Camera Unit with 8 Buttons, 230-12 V power unit, and flush-box

**345,00**
**2AB**
**B / W**

Door Camera Unit with 2 Buttons, 230-12 V power unit, and flush-box

**220,00**
**4AB**
**B / W**

Door Camera Unit with 4 Buttons, 230-12 V power unit, and flush-box

**245,00**
**6AB**
**B / W**

Door Camera Unit with 6 Buttons, 230-12 V power unit, and flush-box

**270,00**
**8AB**
**B / W**

Door Camera Unit with 8 Buttons, 230-12 V power unit, and flush-box

**295,00**

All above offered colour monitors can be connected to these Multi - Apartment Door Camera Units

**Optional : Black / White Monitor :**

**4PF2**

4" B/W Monitor w. Handset

Power : 100-230 VAC

 Price : **120,-**

Dim. 220 x 196 mm

**Optional : Black / White Monitor :**

**4LH**

4" B/W Monitor - hands free

Power : 100-230 VAC

 Price : **125,-**

Dim. 228 x 190 mm

**Optional : Low-Cost Colour Monitor :**

**35N**

3,5" Colour Monitor

Power : 100-230 VAC

 Price : **135,-**

Dim. 191 x 195 mm

ABM Ref.

**ACCESSORIES****excluding  
VAT.**

Exchanges reserved !

Sales prices in EURO

Prices valid from Dec. 01, 2009 thru May 31, 2010

<b>DP4VH</b>		<b>Audio phone unit</b>	for optional additional connection to all COMMAX - Monitors (except. 4CME/2)	<b>35,00</b>
<b>RAINS</b>		<b>Rain cover - small</b>	for Single door camera units	<b>28,00</b>
<b>RAINL</b>		<b>Rain cover - large</b>	for Multi Apartment door camera units	<b>33,00</b>
<b>CRC41CNP</b>		<b>CCTV Camera</b>	Box camera for dry room use - connectable to 7" & 10" Monitors. (except 70A & 70AM)	<b>75,00</b>
<b>AB7181</b>		<b>CCTV Mini Camera</b>	Weatherproofed mini camera connectable to 7" & 10" Monitors. (except 70A & 70AM)	<b>85,00</b>
<b>CDT180</b>		<b>Wireless Audio Set</b>	Wireless Audio Phone Set c/w battery and charging unit. Up to 4 ea connectable to monitors Type 72BE and 1020AQ	<b>170,00</b>
<b>BNCK10</b>		<b>Video cable</b>	RG59 cable with plugs at both ends. Price per 10 m - roll	<b>15,00</b>
<b>BNCPK10</b>		<b>Combi - cable</b>	RG59 cable with integrated power cable (2 x 1 mm <sup>2</sup> ) with plugs at both ends. Price per 10 m - roll	<b>22,00</b>
<b>RF1A</b>		<b>Power supply unit 12 V</b>	Stabilized PSU 230-12 V , 1 A for Single Apartment Door Camera Units	<b>45,00</b>
<b>RF2A</b>		<b>Power supply unit 24 V</b>	Stabilized PSU 230-24 V , 1 A for Multi-Family Door Camera Units	<b>50,00</b>
<b>GE7659</b>		<b>EI. Door opener 110</b>	for DIN - Doors, 110 mm, left / right, with unlocking lever, 12 V , 0,85 A galvanized	<b>45,00</b>
<b>RF2A</b>		<b>EI. Door opener 250</b>	for DIN - Doors, 250 mm, left / right, with unlocking lever, 12 V , 0,85 A galvanized	<b>45,00</b>

For further CCTV Cameras and accessories - please refer to

or [abm-commax.eu](http://abm-commax.eu) / **CCTV VIDEO-ÜBERWACHUNG**  
[abm-commax.eu](http://abm-commax.eu) / **CCTV SURVEILLANCE SYSTEMS**